	Alaska	Alabama	Arkansas	Arizona	California	Colorado	Connecticut	Delaware	Florida	Georgia
Year	(AK)	(AL)	(AR)	(AZ)	(CA)	(CO)	(CT)	(DE)	(FL)	(GA)
2008	6	9	0	8	74	3	3,896	772	88	35
2007	10	13	1	2	75	0	3,058	715	30	11
2006	3	11	0	10	85	0	1,788	482	34	8
2005	4	3	0	10	▲ 95	0	1,810	646	47	6
2004	3	6	0	13	48	0	1,348	339	46	12
2003	3	8	0	4	86	0	▲ 1,403	212	43	10
2002	3	11	3	4	97	1	4,631	194	79	2
2001	2	10	4	3	95	0	3,597	152	43	0
2000	2	6	7	2	96	0	3,773	167	54	0
1999	0	20	7	3	139	3	3,215	167	59	0
1998	1	24	8	1	135	0	3,434	77	71	5
1997	2	11	27	4	154	0	2,297	109	56	9
1996	0	9	27	0	64	0	3,104	173	55	1
1995	0	12	11	1	84	0	1,548	56	17	14
1994	0	6	15	0	68	1	2,030	106	28	127
1993	0	4	8	0	134	0	1,350	143	30	44
1992	0	10	20	0	231	0	1,760	219	24	48
1991	0	13	31	1	265	1	1,192	73	35	25
1990	0	33	22	0	345	0	704	54	7	161
TOTAL	39	219	191	66	2,370	9	45,938	4,856	846	518

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.

	Hawaii	Iowa	Idaho	Illinois	Indiana	Kansas	Kentucky	Louisiana	Massachusetts	Maryland	Maine
Year	(HI)	(IA)	(ID)	(IL)	(IN)	(KS)	(KY)	(LA)	(MA)	(MD)	(ME)
2008	N	109	9	108	42	16	5	3	4,582	2,218	908
2007	N	123	9	149	55	8	6	2	2,988	2,576	529
2006	▲ N	97	7	110	26	4	7	1	1,432	1,248	338
2005	0	89	2	127	33	3	5	3	2,336	1,235	247
2004	0	49	6	87	32	3	15	2	1,532	891	225
2003	0	58	3	71	25	4	17	7	1,532	691	175
2002	0	42	4	47	21	7	25	5	1,807	738	219
2001	0	36	5	32	26	2	23	8	1,164	608	108
2000	0	34	4	35	23	17	13	8	1,158	688	71
1999	0	24	3	17	21	16	19	9	787	899	41
1998	0	27	7	14	39	13	27	15	699	659	78
1997	0	8	4	13	33	4	20	13	291	494	34
1996	1	19	2	10	32	36	26	9	321	447	63
1995	0	16	0	18	19	23	16	9	189	454	45
1994	0	17	3	24	19	17	24	4	247	341	33
1993	1	8	2	19	32	54	16	3	148	180	18
1992	2	33	2	41	22	18	28	7	223	183	16
1991	0	22	2	51	16	22	44	6	265	282	15
1990	2	16	1	30	15	14	18	3	117	238	9
TOTAL	6	827	75	1,003	531	281	354	117	21,818	15,070	3,172

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.

	Michigan	Minnesota	Missouri	Mississippi	Montana	North Carolina	North Dakota	Nebraska	New Hampshire
Year	(MI)	(MN)	(MO)	(MS)	(MT)	(NC)	(ND)	(NE)	(NH)
2008	92	1,282	6	1	17	47	10	12	1,601
2007	51	1,238	10	1	4	53	12	7	896
2006	55	914	5	3	1	31	7	11	617
2005	62	917	15	0	0	49	3	2	265
2004	27	1,023	25	0	0	122	0	2	226
2003	12	474	70	21	0	156	0	2	190
2002	26	867	41	12	0	137	1	6	261
2001	21	461	37	8	0	41	0	4	129
2000	23	465	47	3	0	47	2	5	84
1999	11	283	72	4	0	74	1	11	27
1998	17	261	12	17	0	63	0	4	45
1997	27	256	28	27	0	34	0	2	39
1996	28	251	52	24	0	66	2	5	47
1995	5	208	53	17	0	84	0	6	28
1994	33	208	102	0	0	77	0	3	30
1993	23	141	108	0	0	86	2	6	15
1992	35	197	150	0	0	67	1	22	44
1991	46	84	207	8	0	73	2	25	38
1990	134	70	205	7	0	87	3	0	4
TOTAL	728	9,600	1,245	153	22	1,394	46	135	4,586

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.

	New Jersey	New Mexico	Nevada	New York	Ohio	Oklahoma	Oregon	Pennsylvania	Rhode Island
Year	(NJ)	(NM)	(NV)	(NY)	(OH)	(OK)	(ÖR)	(PA)	(RI)
2008	3,485	8	12	7,794	45	2	38	3,818	210
2007	3,134	5	15	4,165	33	1	6	3,994	177
2006	2,432	3	4	4,460	43	0	7	3,242	308
2005	3,363	3	3	5,565	58	0	3	4,287	39
2004	2,698	1	1	5,100	50	3	11	3,985	▲ 249
2003	2,887	1	3	5,399	66	0	16	5,730	736
2002	2,349	1	2	5,535	82	0	12	3,989	852
2001	2,020	1	4	4,083	44	0	15	2,806	510
2000	2,459	0	4	4,329	61	1	13	2,343	675
1999	1,719	1	2	4,402	47	8	15	2,781	546
1998	1,911	4	6	4,640	47	13	21	2,760	789
1997	2,041	1	2	3,327	40	45	20	2,188	442
1996	2,190	1	2	5,301	32	42	19	2,814	534
1995	1,703	1	6	4,438	30	63	20	1,562	345
1994	1,533	5	1	5,200	45	99	6	1,438	471
1993	786	2	5	2,818	30	19	8	1,085	272
1992	688	2	1	3,448	32	27	13	1,173	275
1991	915	3	5	3,944	112	29	5	718	142
1990	1,074	0	2	3,244	36	13	11	553	101
TOTAL	39,387	43	80	87,192	933	365	259	51,266	7,673

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.

	South Dakota	South Carolina	Tennessee	Texas	Utah	Virginia	Vermont	Washington	Washington DC
Year	(SD)	(SC)	(TN)	(TX)	(UT)	(VA)	(VT)	(WA)	(DC)
2008	3	29	31	153	5	933	404	23	74
2007	0	31	31	87	7	959	138	12	116
2006	1	20	15	29	5	357	105	8	62
2005	2	15	8	69	2	274	54	13	10
2004	1	22	20	98	1	216	50	14	16
2003	1	18	20	85	2	195	43	7	14
2002	2	26	28	139	5	259	37	11	25
2001	0	6	31	75	1	156	18	9	17
2000	0	25	28	77	3	149	40	9	11
1999	0	6	59	72	2	122	26	14	6
1998	0	8	47	32	0	73	11	7	8
1997	1	3	45	60	1	67	8	11	10
1996	0	9	24	97	1	57	26	18	3
1995	0	17	28	77	1	55	9	10	3
1994	0	7	13	56	3	131	16	4	9
1993	0	9	20	48	2	95	12	9	2
1992	1	2	31	113	6	123	9	14	3
1991	1	10	35	57	2	151	7	7	5
1990	2	7	28	44	1	129	11	30	5
TOTAL	15	270	542	1,468	50	4,501	1,024	230	399

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.

	West Virginia	Wisconsin	Wyoming			
Year	(WV)	(WI)	(WY)	TOTAL		
2008	135	2,034	3	35,198		
2007	84	1,814	3	27,444		
2006	28	1,466	1	19,931		
2005	61	1,459	3	23,305		
2004	38	1,144	4	19,804		
2003	31	740	2	21,273		
2002	26	1,090	2	23,763		
2001	16	597	1	17,029		
2000	35	631	3	17,730		
1999	20	490	3	16,273		
1998	13	657	1	16,801		
1997	10	480	3	12,801		
1996	12	396	3	16,455		
1995	26	369	4	11,700		
1994	29	409	5	13,043		
1993	50	401	9	8,257		
1992	14	525	5	9,908		
1991	43	424	11	9,470		
1990	11	337	5	7,943		
TOTAL	682	15,463	71	328,128		

Note: According to the CDC only 10% of Lyme disease cases that meet the case definition are reported, meaning if 10,000 cases are reported, 100,000 cases occurred. This data does not include all the cases that fall outside the stringent surveillance case definition.

▲ Reporting criteria changed:

CA (2005): Laboratory reporting of Lyme disease is now mandatory.

CT (2003): Lyme disease is deleted from the list of Laboratory Reportable Significant Findings. Source: Connecticut Epidemiologist Newsletter, Vol. 23, No. 1. (Note: In 2007, CT instituted electronic lab reporting, however, not all labs are able to report electronically.)

HI (2006): CDC notes Lyme is not a notifiable disease in Hawaii. Source: MMWR

^{*} Lyme disease case definition was changed for 2008 and the category of probable was reported for the first time. (US 2008 confirmed = 28,921 / probable = 6,277) The numbers used in 2008 include confirmed and probable cases reported by CDC.